


Godrej

SECURE 4.0



Scan this QR code
for more details

We safeguard: Residential | Industrial | Business | Corporates | Retail | Hospitals | Institutions | Monuments



Godrej & Boyce Mfg. Co. Ltd. | Godrej Security Solutions
Registered Office: Plant No. 17, Pirojshanagar,
Vikhroli, Mumbai - 400079, India.

Toll Free No.:
1800 209 9955 (Sales/Service)

Visit: www.godrejsecure.com
ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

secure@godrej.com (Sales)
secare@godrej.com (Service)

Follow us:
[godrejsecure](https://www.instagram.com/godrejsecure)

WhatsApp Support:
[+91 9321665511](https://wa.me/919321665511) (Service)

[www.linkedin.com/godrej-security-solutions](https://www.linkedin.com/company/godrej-security-solutions)

Follow us:
[GodrejSecure](https://www.facebook.com/GodrejSecure)

Disclaimer: In view of the Godrej policy of continuous development and improvement, the dimensions and specifications may be changed without prior notice or obligation. Colours of the products shown in this catalogue may not match the actual colour of the product due to printing limitations.

This product is designed and manufactured with recyclable material. At end of life of this product, you may recycle all the components. Alternatively, you may seek guidance for disposal at 1800 209 9955.

ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

GSS/IMC/B2B/PSP CATALOGUE/MAY-2024



INNOVATING SAFETY FOR BUSINESS EXCELLENCE



SECURE 4.0

Secure 4.0 is an initiative by Godrej Security Solutions to create a disruptive technological transformation for high end security. It is our response to modern security challenges in today's fast paced world.

We are not just pioneers of a 125-year legacy. We are moving with the times. Adapting to evolution through upgradation and smart tech. Advanced enough to intercept ahead of the most technologically savvy intrusion.

Simplifying innovation by providing you with a range of services that will endure. It is a revolutionary leap into the future designed to meet and anticipate challenges of tomorrow. From torch-resistant superior strong room doors and groundbreaking Smart Fog Anti-Intrusion Systems, Secure 4.0 is the evolution of our commitment to your safety.

It's a comprehensive answer to the modern, tech-savvy threats that businesses and homes face today. We're not just redefining security for today; we're securing peace of mind for tomorrow.

Step into the future with Godrej's Secure 4.0, where your safety is not just our legacy—it's our promise for the future.

BURGLARY RESISTANT

SAFES




FIRE RESISTANT

PRODUCTS



DYNAMIC

INNOVATION



CURRENCY HANDLING

EQUIPMENT



VALUABLE DETECTION

EQUIPMENT



CUTTING-EDGE SECURITY FOR YOUR PEACE OF MIND

SAFEGUARDING ASSETS, DEFYING THREATS. OUR RANGE OF SERVICE PROVIDES YOU TO SECURE YOUR PEACE OF MIND AND GROW WITH INNOVATIVE SOLUTIONS

Burglary Resistance:

Unyielding defence against unauthorized access and theft.

Fire Resistance:

Advanced solutions ensuring protection from fire-related hazards.

Valuable Detection:

Cutting-edge systems for identifying and safeguarding assets of high worth.

QUALITY LEADERSHIP

BEYOND STANDARDS:
CONTROLLING QUALITY WITH EXPERTISE

At Godrej Security Solutions, we always aim to stay one step ahead. In addition to pioneering innovative products, we are dedicated to providing high-quality security solutions that exceed expectations. When you purchase a GSS product, rest assured that you are receiving a top-tier product that has undergone a rigorous pre-treatment process, followed by advanced quality checks and measures.

The 7-step, 12-tank pre-treatment process is just one such example of how we do not leave any stone unturned in ensuring the quality as well as the longevity of our products.

ALL GSS STEEL COMPONENTS UNDERGO
A 7-STEP, 12-TANK, PRE-TREATMENT PROCESS
TO COMBAT RUSTING

1

DE-GREASING

This process removes all types of oils, grease, dust, and organic contaminations from the metal's surface. Oil/grease is applied to the metal's surface, and atmospheric dust deposits on the oily surface, forming an easily removable thick, dry layer. Two tanks are used for this process.

2

WATER RINSE

During the Water Rinse step, some of the oil detached from the surface in the earlier process is removed. The remaining loose oil on the surface is also washed away, along with any extra de-greasing solution. This process is also carried out using two tanks.

3

DE-RUSTING

De-rusting, which is always a concern due to corrosion, is effectively addressed through this process, also known as Pickling. It employs a combination of acids that penetrate and remove rust layers. Two tanks are utilized in this process.

4

WATER RINSE

After the De-rusting process, the metal surface is cleansed of acids in preparation for further treatment with a Water Rinse. Two tanks are employed for this step.

5

PHOSPHATING

Offering enhanced corrosion protection, the steel surface is converted into a corrosion resistant non-metallic surface. Phosphating also forms a base that enhances the mechanical properties of applied paints/ powder film.

6

WATER RINSE

All powder particles and/ or loose coating are washed off from the metal sheet using one tank.


7

PASSIVATION

Passivation prevents atmospheric moisture from coming in contact with the metal by sealing micro voids that could trigger a corrosion reaction - even on a phosphate surface. A single tank is used in this process.

360-DEGREE PROTECTION

INDIA'S ONLY COMPREHENSIVE END-TO-END SECURITY SOLUTIONS EXPERTS



INTEGRATED SECURITY SOLUTIONS
WITH LATEST TECHNOLOGY.
SERVICED BY A PAN-INDIAN DEDICATED TEAM
WITH A PROVEN TRACK RECORD.

ALL YOUR VALUABLES ARE NOW IN SAFE HANDS

SOLUTIONS FOR EVERY SECURITY REQUIREMENT



CONTENTS

COMPANY PROFILE 03

CUTTING-EDGE SECURITY FOR YOUR PEACE OF MIND 05

QUALITY LEADERSHIP 06

360-DEGREE PROTECTION 08

BURGLARY RESISTANT SAFES 14

- Defender Prime Neutronics 15
- Defender Prime 18
- Defender Aurum NX Safes 22
- Defender Aurum Double Door Safes 26

DYNAMIC INNOVATION 30

- Godrej Smart Fog 32
- Defender Safe with Safe Deposit Locker Cabinets 34
- Defender Safe with KDM 36
- D-tel Plus Depository Safes 38
- Kawach 40
- Pop Safe 42
- Currency Bin Cabinet 44

BURGLARY RESISTANT STRONG ROOM DOORS 46

- Strong Room Door 47
- High Security Door 49
- Godrej MX 52
- Record Room Doors 56
- Defender Aurum NX Door 58
- Single Shutter Grille Gates 60
- Fortifi-Solution 62

PILFER PROOF SAFE DEPOSIT LOCKERS 66

- Autovault Automated Safe Deposit Lockers 67
- Secunex Next Gen Safe Deposit Lockers 70
- Safe Deposit Locker Cabinets 74

FIRE RESISTING PRODUCTS 76

- Fire Resisting Filing Cabinets 78
- Fire Resisting Record Cabinets 82
- Godrej Kompactron 84
- FR1360 88
- Dataline-Data Safes 90
- Dataline-Media Cabinets 92

VALUABLE DETECTION EQUIPMENTS 94

- Accugold Gold Testing Machine 96
- Accugold 770 99
- Accugold 880 100
- Accugold 990 101



DEFENDER PRIME NEUTRONICS

GET ADVANTAGE OF INSTANT ALERTS

BURGLARY RESISTANT SAFES



Unyielding and unmatched security for your valuables with a strong double-walled construction that offers resistance against burglars and fires.




Godrej Defender Prime Neutronics is a next-generation 'Intelligent' safe that offers advanced technological features alongside its time-tested physical strength.

Designed to deter, detect, delay, defend, and deny, the Defender Prime Neutronics safe utilizes cutting-edge technology to safeguard itself against the most sophisticated modern-day attacks. This intelligent safe can quickly sense a threat, alerting you while simultaneously defending itself with built-in technological reinforcements.

INTELLIGENT SECURITY THAT'S WAY AHEAD

How it works?



Features



I - Alert

In the event of a burglary attempt, the safe is equipped to trigger a local alarm via a hooter and send alerts to up to eight registered phone numbers.



Torch & Drill Resistance Matrix**

This feature provides resistance to combat modern-day torch and tool attacks.



Duress* (SOS)

In the event of a distress situation, it sends a silent alarm to registered users.



Lock Integration* (Biometric/electronic lock)

- Grants access to up to 30 authorized users.
- Records a time and date-stamped audit trail.
- Offers dual-mode authorization.
- Includes a time delay feature (1-99 minutes) to deter unauthorized access.



Double Duty Barrier

This feature provides resistance against burglary attacks and renders the safe fire-resistant.



Automatic Relocking Device

In the event of an attack on the lock, this device sets the safe into a deadlock, ensuring its security.



Ease of Transportation

The lift-off hinges door construction facilitates the removal of the door for ease of transportation and servicing.



High Precision Locks

The 8-lever dual-control brass locks offer a high number of combinations and massive resistance against pilferage.




BIS Certified

It has been tested as per BIS standard IS 550:2022.



XShield

This is an advanced form of security against burglar attacks on locks, in addition to automatic relocking.



Dimensions

| MODELS | EXTERNAL DIMENSIONS | | | INTERNAL DIMENSIONS | | | VOLUME (In ltrs) | WEIGHT (In kgs) |
|-------------|---------------------|-----------|-----------|---------------------|-----------|-----------|---------------------|--------------------|
| | Height (H) | Width (W) | Depth (D) | Height (H) | Width (W) | Depth (D) | | |
| 61-CLASS C | 154.1 | 77.5 | 72 | 135.1 | 58.5 | 43.6 | 344 | 1384 |
| 61-CLASS BB | 159.1 | 82.5 | 77.3 | 135.1 | 58.5 | 43.6 | 344 | 2050 |

All dimensions in cm

Also 26 to 81 sizes in all classes are available as per order. *Available only in Electronic & Biometric Lock Type. **Class BB & above

Important:

Please check the load carrying capacity of the floor from structural engineers if the safe is to be kept on the first floor or above. Place the safe preferably on a beam. Tolerance: Weight: ± 10%, Dimension: ± 5%

DEFENDER PRIME

STRONG. SECURE. AFFORDABLE.



The high end Godrej Defender Prime Safe will be the first of its kind from the house of Godrej. The Defender Prime is designed on a platform suited to the needs of consumers across the globe, thus bringing international quality and looks for our Indian customers. The Defender Prime is the solution to the customers' needs against all possible burglary attacks. Reinforced with enhanced barrier material (DDB and TDR), developed by Godrej through rigorous research and development, it now offers excellent resistance to threats which include cutting, breaking and drilling using all types of mechanical and electrical tools. E.g. - Oxyacetylene torch, crowbars etc.


Features

- 
Strong and Seamless Body
 With fully welded multi-corner bend construction without a single rivet and one-piece wrap around door construction
- 
Two-Step Door and Frame Construction
 For higher resistance against fire and burglary
- 
Lift-off hinges door construction
 Facilitates removal of the door for ease of transportation and service
- 
Double Duty Barrier (DDB)
 Armoured with Double Duty Barrier (DDB) material in the door and the body
- 
BIS Standard Tested
 Tested as per BIS standard IS 550:2022.
- 
Strong Shooting Bolts
 To secure the door behind the jamb box against dislodging
- 
Dual Control High Precision
 8-lever locks protected with unique drill-defeat shield in the door
- 
Torch and Drill Resistant Matrix
 Enhanced Torch and Drill Resistant Matrix used in TRTL classes of safes (Class II and above)
- 
Additional Beta Relocker
 Sets the safe into a deadlock with two relockers and an additional beta relocker to protect from precision attack on the lock

Technical Specifications



| | CLASS C (TL 30 D x TL 10 x 5 – FR 30) | | CLASS BB (TRTL 15 x 6) | | INTERNAL (H x W x D) (cm) |
|----|--|-----------------|------------------------------|-----------------|------------------------------|
| | External (H x W x D) (cm) | Weight (kgs) | External (H x W x D) (cm) | Weight (kgs) | |
| 26 | 65.2 x 52.1 x 57 | 448 | 70.2 x 57.1 x 62.4 | 640 | 46.2 x 33.1 x 28.8 |
| 31 | 77.8 x 62.3 x 66 | 632 | 82.8 x 67.3 x 71.4 | 900 | 58.8 x 43.3 x 37.8 |
| 41 | 103.2 x 62.3 x 66 | 785 | 108.2 x 67.3 x 71.4 | 1160 | 84.2 x 43.3 x 37.8 |
| 49 | 123.6 x 77.5 x 72 | 1157 | 128.6 x 82.5 x 77.3 | 1680 | 104.6 x 58.5 x 43.6 |
| 61 | 154.1 x 77.5 x 72 | 1382 | 159.1 x 82.5 x 77.3 | 2050 | 135.1 x 58.5 x 43.6 |

Available Models



| | CLASS A (TRTL 30 X 6) | | CLASS AA (TRTL 60 X 6) | | INTERNAL (H X W X D) (CM) |
|----|------------------------------|-----------------|------------------------------|-----------------|------------------------------|
| | External (H x W x D) (cm) | Weight (kgs) | External (H x W x D) (cm) | Weight (kgs) | |
| 26 | 70.2 x 57.1 x 62.4 | 680 | 70.2 x 57.1 x 62.4 | * | 46.2 x 33.1 x 28.8 |
| 31 | 82.8 x 67.3 x 71.4 | 990 | 82.8 x 67.3 x 71.4 | * | 58.8 x 43.3 x 37.8 |
| 41 | 108.2 x 67.3 x 71.4 | 1268 | 108.2 x 67.3 x 71.4 | * | 84.2 x 43.3 x 37.8 |
| 49 | 128.6 x 82.5 x 77.3 | 1770 | 128.6 x 82.5 x 77.3 | * | 104.6 x 58.5 x 43.6 |
| 61 | 159.1 x 82.5 x 77.3 | 2159 | 159.1 x 82.5 x 77.3 | * | 135.1 x 58.5 x 43.6 |

| | CLASS AAA (TRTL 90 X 6) | | Internal (H x W x D) (cm) |
|----|------------------------------|-----------------|------------------------------|
| | External (H x W x D) (cm) | Weight (kgs) | |
| 41 | 112.2 x 71.3 x 75.5 | 1475 | 84.2 x 43.3 x 37.8 |
| 49 | 132.6 x 86.5 x 81.3 | 2080 | 104.6 x 58.5 x 43.6 |
| 61 | 163.1 x 86.5 x 81.3 | 2540 | 135.1 x 58.5 x 43.6 |



DEFENDER AURUM NX SAFES

DOUBLE DUTY FORTIFIED DEFENSE



The Defender Aurum NX is the solution to customers' needs against all possible burglary attacks. Reinforced with enhanced barrier materials (DDB and TDR), developed by Godrej through rigorous research and development, it now offers excellent resistance to threats, including cutting, breaking, and drilling using all types of mechanical and electrical tools, such as oxyacetylene torches and crowbars. The new single-piece wrap-around construction provides even more formidable strength. The zinc-plated bolted mechanism offers superior corrosion resistance.

Features



Strong And Seamless Body

A fully welded, multi-corner bend construction without a single rivet, and a one-piece wrap-around door construction.



Torch And Drill Resistant Matrix

Enhanced torch and drill-resistant matrix used in TRTL classes of safes (Class II and above).



Two-Step Door and Frame Construction

For higher resistance against fire and burglary.



Automatic Relocking Device

This device sets the safe into a deadlock with two relockers and an additional beta relocker to protect against precision attacks on the lock.



Dual Control High Precision Locks

8-lever dual-control high-precision locks, protected with a unique drill-defeat shield in the door.



Motion Sensor Intelli-light

Enables clear visibility of the contents inside the safe.



Lift-Off Hinges Door Construction


Facilitates the removal of the door for ease of transportation and servicing.





Double Duty Barrier

Armored with Double-Duty Barrier (DDB) material in the door and the body.

AVAILABLE MODELS



OPTIONAL LOCK
3WHEEL COMBINATION LOCK
OR ELECTRONIC LOCK
OR BIOMETRIC LOCK



| Class I (TL 10 X 6) | | | | | | | | |
|----------------------|--------------------------|-------|-------|--------------------------|-------|-------|----------|--------|
| Model No. | External Dimensions (cm) | | | Internal Dimensions (cm) | | | Volume | Weight |
| | Height | Width | Depth | Height | Width | Depth | In Litre | In kg |
| 26 Defender Aurum NX | 65.2 | 52.1 | 57 | 46.2 | 33.1 | 28.8 | 44 | 380 |
| 31 Defender Aurum NX | 77.8 | 62.3 | 66 | 58.8 | 43.3 | 37.8 | 96 | 585 |
| 41 Defender Aurum NX | 103.2 | 62.3 | 66 | 84.2 | 43.3 | 37.8 | 137 | 720 |
| 49 Defender Aurum NX | 123.6 | 77.5 | 72 | 104.6 | 58.5 | 43.6 | 266 | 1020 |
| 61 Defender Aurum NX | 154.1 | 77.5 | 72 | 135.1 | 58.5 | 43.6 | 344 | 1220 |

Important:

- Please check the load carrying capacity of the floor from structural engineers, if the safe is to be kept on the first floor or above. Place the safe preferably on a beam.
- All dimensions are in cm. Tolerance: Weight: ± 10%. Dimensions: ± 5%

DEFENDER AURUM DOUBLE DOOR SAFES

DESIGNED TO FIT YOUR SECURITY CONCERNS



Defender Aurum Double Door Safes have been meticulously crafted to address your security needs. In an age where security threats are on the rise, bolstered by rapid technological advancements and the ready availability of tools and knowledge for potential intruders, the imperative for enhanced security has never been greater.

In response to these evolving security challenges, our safes are engineered to provide unwavering protection, capable of withstanding the most sophisticated modern-day attacks. These safes also serve as an invaluable resource for overnight storage, ensuring the safekeeping of cash and prized possessions. This convenience allows jewelers and retail establishments to safeguard their valuables without compromising their elegant display spaces.

Features



Strong And Seamless Body

A fully welded, multi-corner bend construction without a single rivet, and a one-piece wrap-around door construction.



Torch And Drill Resistant Door

Enhanced torch and drill-resistant matrix used in TRTL classes of safes (Class II and above).



Motion Sensor Intelli-light

Enables clear visibility of the contents inside the safe.



Anti-Corrosion Treatment

State-of-the-art twelve-tank anti-corrosion treatment for all steel components.



High Precision Locks

8-lever dual-control high-precision locks, protected with a unique drill-defeat shield in the door.





Double Duty Barrier

Armored with Double-Duty Barrier (DDB) material in the door and the body.



Tool Resistant Safes (TL Safes)

-  Hand Tool
-  Picking Tool
-  Impact Tool

- Resistant to only tool attacks
- These include power drill, sledge hammer, chisels, crowbars, lock picks, etc.
- Contains only Double Duty Barrier (DDB)
- Godrej Class I Safes are TL safes



Torch & Tool Resistant Safes (TRTL Safes)

-  Gas Cutter
-  Hand Tool
-  Picking Tool
-  Impact Tool

- Resistant to only tool attacks
- Tools like Oxy-acetylene flame, power drill, sledge hammer, chisels, crowbars, lock picks, etc.
- Contains TDR Matrix + Double Duty Barrier (DDB)
- Godrej Class II Safes are TRTL safes



| Class I (TL 10 x 6) | | | | |
|---------------------|---|---|---------------------|------------------|
| Model No. | External Dimensions (h x w x d) (in cm) | Internal Dimensions (h x w x d) (in cm) | Net Weight (in kgs) | Volume (in ltrs) |
| 26DD | 66.2 x 106.2 x 56.7 | 46.2 x 86.2 x 29.5 | 800 | 118 |
| 31DD | 78.8 x 126.6 x 66.7 | 58.8 x 106.6 x 39.5 | 1200 | 248 |
| 41DD | 104.2 x 108.9 x 66.7 | 84.2 x 88.9 x 39.5 | 1300 | 297 |
| 49DD | 124.6 x 108.9 x 71.6 | 104.6 x 88.9 x 43.8 | 1550 | 409 |
| 61DD | 155.1 x 108.9 x 71.6 | 135.1 x 88.9 x 43.8 | 1775 | 530 |
| 84DD | 212.5 x 130.4 x 87.3 | 192.5 x 110.4 x 59.5 | 3000 | 1265 |
| 88DD | 222.5 x 133 x 91.2 | 202.5 x 113 x 62.5 | * | 1430 |

* as per orders

DYNAMIC
INNOVATION



Discover a realm of advanced security solutions, where innovation meets intelligence, safeguarding your world with next gen advanced technology and instant alarms.

**CATCH THE INTRUDER
BY SURPRISE**



GODREJ SMART FOG

ANTI-INTRUSIVE FOGGING SYSTEM WITH INSTANT ALARM,
TO FOG OUT THE INTRUDER.





In an age of cybercrimes and internet banking, even a burglar can attempt to act as clever as a smart device. So, how can you outsmart an intruder?

The Godrej Neutronics Self Defender is a compact yet powerful fogging security system that can confuse any intruder. A motion sensor detects break-ins and triggers the gas diffuser to emit the densest fog. It can cover up to 600 m³ in under 30 seconds.

While the foggy conditions last for 30-40 minutes, the low visibility causes burglars to abandon their plans and leave the premises as quickly as possible. This Godrej Neutronics Self Defender anti-intrusive fogging modular system is also WiFi-enabled.



Features

-  Compact lightweight cabinet with special heating system of liquid less than 2 hours
-  Single shot coverage of 600 m³
-  In 28 Sec an entire room of 600 m³ is covered
-  200 m³ of less than 1 m visibility
-  Shot characteristics are programmable in sec as per requirement
-  Total discharge capability with full bag of 500 ml is 850 m³
-  Over 1 hour of operating power without main power

DEFENDER SAFE WITH SAFE DEPOSIT LOCKER CABINETS



Godrej Safe Deposit Locker Cabinet gives you the advantage of a vault room combined with safe deposit locker facilities.

The Safe deposit lockers cater to the varying needs of bankers and provide various sizes of lockers in different combinations of all three models of Godrej Defender Plus Safes - 61 with 29 lockers, 81 with 36 lockers, 46, 56 and 84 with 90 lockers.

*Locker configurations can also be offered to customers





*Tested as per BIS standard IS 550:2022

Specifications

| MODEL | NUMBER OF LOCKERS IN EACH TYPE | | | | | | | | | | GROSS WEIGHT (in kgs) | OVERALL DIMENSIONS | | |
|----------------------------------|--------------------------------|----|---|---|---|----|---|---|----|----------------|-----------------------|--------------------|---------------|------|
| | A | A1 | B | C | D | D1 | E | F | F1 | Height (in cm) | | Width (in cm) | Depth (in cm) | |
| 61 Def Plus Safe with 29 Lockers | - | 27 | | | | 2 | | | | | 1500 | 154.1 | 77.5 | 72 |
| 81 Def Plus Safe with 36 Lockers | 24 | | | 8 | | | | 2 | 2 | | 2675 | 204.5 | 95 | 87.3 |
| 81 Def Plus Safe with 46 Lockers | 40 | | | 4 | | | | 2 | | | 2725 | 204.5 | 95 | 87.3 |
| 81 Def Plus Safe with 56 Lockers | 56 | | | | | | | | | | 2775 | 204.5 | 95 | 87.3 |
| 84 Def Plus Safe with 90 Lockers | 90 | | | | | | | | | | - | 212.5 | 130.4 | 87.3 |

Weight - kgs.

All dimensions are in cm and tolerance - dimensions $\pm 5\%$ | *Customised Locker configuration can also be offered




Elevation-Door open at 180°

SAFE WITH KEY DETENT DRAWER MECHANISM

ULTIMATE SECURITY ELEVATING PROTECTION TO UNMATCHED LEVELS



In your bank, the security of customer valuables and cash is of paramount importance, and a safe plays a key role in ensuring this security. To align with your bank's high standards, Godrej Safe is equipped with an advanced Key Detent Drawer Mechanism, delivering on that commitment. This innovative system significantly prolongs the burglary process during key extraction, creating a formidable barrier against unauthorized access. Unlocking the safe requires a sequential process of opening and closing a drawer to retrieve the key. The additional time and effort demanded by this mechanism effectively discourage potential intruders, enhancing the protection of your valuables to unparalleled levels.



Specifications - Class - C

| SAFE TYPE | INTERNAL SIZE OF SAFE (H X W X D) (in cm) | INTERNAL SIZE OF DRAWERS (H X W X D) (in cm) |
|------------------------|--|---|
| 41 with 10 KDM drawers | 84.2 x 43.3 x 37.8 | 10.5 x 17 x 32.5 |
| 49 with 12 KDM drawers | 104.6 x 58.5 x 43.8 | 11 x 25 x 34 |
| 61 with 16 KDM drawers | 135.1 x 58.5 x 43.8 | 11 x 25 x 34 |

D-TEL PLUS DEPOSITORY SAFES

IMMACULATE SECURITY COMES WITH EFFORTLESS HANDLING



Godrej D-Tel Plus depository cabinet with snap shut mechanism is designed to help businesses store cash effortlessly. The drawers of the cabinet can be shut with a simple push, a feature which is enabled by a high precision lock. The drawers can then be opened only with the help of a key. Its unique design makes handling and storing cash effortless and also provides immense security.

Features



Multi-bend construction, welded structure without a single rivet giving it enormous strength.



High Precision Locks Fitted with high precision Godrej 6 lever lock for the storage unit.



Two drawers with an option for snap-shut mechanism storage unit.



Made from prime quality CRCA steel.



Depository mechanism in the second drawer to save cash in the storage unit below.




The cabinet can be grouted to the floor side panel.



Two-tone powder coated finish to fight rust and corrosion.



Cabinet has ideal height and can be doubled up as a desktop pedestal.



Technical Specifications

| EXTERNAL H x W x D (cm) | INTERNAL H x W x D (cm) SAFE STORAGE UNIT | NO. OF DRAWERS | INTERNAL H X W X D (cm) TOP DRAWER |
|-------------------------|---|----------------|------------------------------------|
| 69.1 x 46 x 46 | 34.5 x 45.5 x 39.5 | 2 | 7.5 x 34.5 x 38.5 |

All dimensions are in cm and Tolerance - dimensions ±5%

KAWACH

PERFECT SECURITY COMBINATION



Features



Light Weight Construction
Suitable for installations in high-rise buildings



Locking Mechanism
3-way sturdy bolt work construction and locking mechanism



Secure Anchoring
Two fixings in the rear and base of the safe



Gordian Key Lock
Fitted with a Gordian key lock to ensure secure locking of the safe.

Technical Specifications

| | | | |
|----------------------------|-------------------------|---------------------------|-----------------------------|
| EXTERNAL DIMENSIONS | 47 h x 49 w x 41 d (cm) | INTERNAL DIMENSION | 38 h x 40.1 w x 29.8 d (cm) |
| VOLUME | 45 ltr | NET WEIGHT | 60 kgs |










You will be remembered as a bank manager who enhanced security. Godrej Security Solutions offers Kawach, a safe designed to provide optimal safety and additional security. It is the perfect solution for storing cash and valuables during over-the-counter transactions at banks and financial institutions. With its double-walled structure, this safe not only offers robust protection against all forms of theft but also provides superior security compared to ordinary wooden storage units.

POP SAFE TECHNICALLY SAFER



Your minute-to-minute cash transactions require the assurance of solid round-the-clock security. The Godrej Popular (POP), equipped with safe dual control and high-precision 6-lever locks, can be easily installed for convenient access. Its fully welded multi-bend body and a heavy plate door hinged on strong pivots in solid-steel bearing blocks provide durability, reliability, and complete security for your cash.

Features

-  Fully welded multi-bend body ensures greater security
-  The lock and vital parts of the bolt work are protected with a drill-resistant armour plate
-  Heavy plate door hinged on strong pivots in a solid-steel bearing block
-  Godrej high-precision dual control 6-lever lock operated by two keys
-  A locker with a flap door and lock is provided to facilitate the storage of items which need additional security
-  Also available with coin slot and baffle tray inside
-  A 3-wheel numerical combination lock can be provided
-  The safe can be integrated with Godrej alarm systems
-  Available in Dual Tone powder coated, Dark Grey/ Light Grey colour finish

Technical Specifications

| MODEL | 22 POP | 27 POP |
|---|---------------------------------------|---------------------------------------|
| Outside: Height (H) | 56.2 | 68.7 |
| Outside: Width (W) | 46 | 53.6 |
| Outside: Depth (D) | 46 | 51 |
| w/o Handle | | |
| Inside: Height (h) | 35.3 | 47.8 |
| Outside: Width (w) | 45.5 | 53.1 |
| Outside: Depth (d) | 36.9 | 41.9 |
| Overall Depth of Safe at 90 degrees (OD) | 83 | 95.6 |
| Overall Width of Safe at 180 degrees (OW) | 76.9 | 92.1 |
| Overall Door Thickness (OT) | 6.9 | 6.9 |
| Internal Cubic Capacity m3 | 0.082 | 0.136 |
| Door Swing (S) | 36.5 | 44.1 |
| Godrej Locks | One 6-lever dual control Gordian lock | One 6-lever dual control Gordian lock |
| Lockers | One | One |
| Shelves | One (Removable) | One (Removable) |
| Net Weight kgs. | 70 | 90 |
| Gross Weight kgs. | 80 | 102 |

All dimensions are in cm and Tolerance - dimensions ± 5%

CURRENCY BIN CABINET

MINIMIZING TRANSPORT, MAXIMIZING STORAGE





In the era of smart banking, you need smart currency handling. Godrej Currency Bin minimises the need for transportation and maximises the storage of currency while providing adequate convenience in the vault room.


They have been designed to maximise storage capacity available keeping in view the common sizes and configuration of the strong rooms

Two highly precision 6-lever locks, a hasp and a staple provide additional security.

“Unique flag indicator” is an exceptional feature providing a visual indication of whether the cabinet is locked or not thereby ensuring safety.

Features


-  Fitted with two highly precise, 6 lever locks. A hasp and a staple are also provided for additional security
-  Unique flag indicator that indicates whether a cabinet is locked or not

 Designed to maximize storage capacity available keeping in view the common sizes and configuration of the strong rooms

Specifications

| CURRENCY BIN CABINETS | 6 BINS | 4 BINS | 4 BINS (SPECIAL) |
|-----------------------|--------|--------|------------------|
| Height (cm) (H) | 147.2 | 99 | 99 |
| Width (cm) (W) | 183 | 183 | 101.6 |
| Depth (cm) (D) | 76 | 76 | 76 |

All dimensions are in cm and Tolerance - dimensions $\pm 5\%$




BURGLARY RESISTANT
**STRONG ROOM
DOORS**



Fortified protection, precision engineering, and unrivalled defence, guarding your assets with impenetrable strength and confidence

STRONG ROOM DOOR

DRILL MACHINE AND OXY-ACETYLENE
TORCH RESISTANT














Clenching Mechanism

High volumes of cash and valuable transactions demand high-end security measures. Godrej Security Solutions' state-of-the-art Strong Room Doors are made with double-duty barrier material and a torch and drill matrix to provide superior resistance against attacks by drill machines, oxy-acetylene torches, and more.

The doors come fitted with two dual-control high-precision locks, as well as automatic relocking deadlocks. The Strong Room Doors are specially designed for banks, financial institutions, jewelers, and other high-turnover businesses.

Features

-  Superior quality 10 mm thick MS door frame
-  Automatic re-locking device deadlocks the door in case of explosives or mechanical attacks
-  A unique two step door construction
-  Additional re-locking device on primary lock for extra protection
-  Godrej Double Duty Barrier material provides reliable protection against fire
-  Grille gate is secured with high-precision 8-lever lock, and opens on both sides
-  12 shooting bolts, each of 38 mm diameter are provided in front and rear to secure the door
-  Fitted with two dual control high precision 8-lever locks from Godrej*
-  Balanced pressure bolt to protect against dislodging attempt by creating equal neutralizing pressure from within
-  A relay micro switch is provided inside to control the lighting inside the vault room
-  Impact resisting shaft for handle to resist break in
-  Tested as per BIS standard IS 11188:2021
-  Locks and re-locking devices are protected by specially designed drill-defeat shield

Technical Specifications

| SPECIFICATION | NOMENCLATURE | CLASS-C | CLASS-B |
|--|--------------|-------------|--------------|
| Overall Size (cm) | H*W | 212.8 * 122 | 212.8 * 1254 |
| Clear Opening (cm) | H*W | 195.3 * 91 | 195.3 * 91 |
| Thickness of door with lock case (cm) | T | 17.2 | 19.2 |
| Overall door thickness including frame and grill gate (cm) | OT | 30 | 30 |
| Recommended for wall thickness (cm) | WT | 30.5-38 | 30.5-38 |
| Door swing (cm) | B | 106 | 106 |
| Grille gate swing (cm) | C | 99 | 99 |
| Projection of door when opened at 90 (cm) | D | 108 | 108 |
| Projection of door when opened at 180 (cm) | E | 27.5 | 29.5 |
| Overall width of door and frame for max clear opening (cm) | F | 185 | 186.7 |
| Overall width of door and frame for when fully opened (cm) | G | 220.5 | 222.4 |
| Approx. weight (kg) | | 860 | 965 |

*Locking Mechanisms are also available in (a) Combination Lock (b) Electronic Lock (c) Biometric Lock (d) Time Lock

All dimensions are in cm and Tolerance - dimensions $\pm 5\%$

HIGH SECURITY DOOR

RESILIENT ENGINEERING TO WITHSTAND THE TOUGHEST ATTACKS



A well-managed bank not only provides the right financial solutions but also ensures the peace of mind of its customers and clients. That's why Godrej Security Solutions High Security Doors are the automatic choice. Made with cutting-edge technology, they are specially designed for currency chest applications and engineered to withstand attacks by common hand tools, power tools, fitting tools, and arc cutting torches. Their resilient construction is defined by their unique design and strong barrier materials like the torch and drill resistance matrix (TDR). These doors are perfect for banks, private safe deposit vaults, other financial organizations, and jewelers

Features

Door Frame
The door frame is a one-piece, bent, rivet-less, fully welded 'C' frame, imparting superior strength and sturdiness, while also providing a lasting aesthetic finish.

Rebate
A strong jamb rebate protects against various forms of burglary, such as oxyacetylene flame or electrical arc cutting. The solid jamb rebate offers greater resistance against dislodgment attacks, including hydraulic jack attacks.

Height Adjustment Mechanism
This mechanism is fitted on the door and pivots for the perfect alignment of the door. It allows for smooth and effortless movement on pivots with arrangements to fine-tune the door movement vertically on-site.

Locking Mechanism
The locking mechanism features a balanced pressure boltwork, which balances the handle operating force by converting it into an equal and opposite balanced force on the lock bolt. This ensures that any force on the pilot wheel is not transmitted to the lock fixing bolts.

Grille Gate
It is fitted with a high-precision 8-lever all-brass dual-control lock operable from both sides. The grille gate opens by 180 degrees, allowing free use of the inside space.

Limit Switch
Pivot-operated limit switch for internal room lighting.

Door Slab
The door slab is made using a special monolithic Torch and Drill Resistant layer (TDR Matrix), which is cast-in-situ. TDR is unique to Godrej, and it is this that gives the necessary burglar resistance to our doors. Fire resistance is provided by double-duty barrier material, which is filled in addition to the TDR material.


Shooting Bolt
A 4-way shooting bolt mechanism, total 16nos each on left and right and 2nos on top and bottom. Shooting bolts on each side offer extra burglar resistance.

Automatic Deadlocking Device - 2 nos.
Independent, highly sensitive deadlocking devices protect each of these locks against explosives, acid, and other tool attacks through the keyhole. These are activated whenever attempts are made to dislodge the lock.

Locks - 2 nos.
High-precision, unpickable, dual-control locks fabricated using an all-brass body, brass levers, phosphor-bronze springs, and stainless steel keys, making lock operations smooth and effortless. Additionally, one 4-wheel combination lock (100 million combinations) is provided as a standard feature.

Compression Mechanism
Enables the vault door to be water tight, thus completely sealing of vault.

Certification
Tested as per BIS standard IS 11188:2021



| DESCRIPTION | REFERENCE | MAIN DOOR CLASS-A DEFENDER DOOR | MAIN DOOR CLASS-AA DEFENDER DOOR | MAIN DOOR CLASS-AAA DEFENDER DOOR |
|--|-----------|---------------------------------|----------------------------------|-----------------------------------|
| Overall Size (cm) | H*W | 225.5 x 135.5 | 225.5 x 135.5 | 225.5 x 135.5 |
| Clear Opening (cm) | H*W | 195.8 x 93.3 | 195.8 x 93.3 | 195.8 x 93.3 |
| Thickness of door with lock case (cm) | T | 21 | 25 | 32.5 |
| Recommended for wall thickness (cm) | WT | 48 | 48 | 48 |
| Door swing (cm) | B | 126.5 | 126.5 | 126.5 |
| Overall door thickness including frame and grill gate (cm) | OT | 48.5 | 48.5 | 48.5 |
| Grille gate swing (cm) | C | 103 | 103 | 103 |
| Projection of door when opened at 90 (cm) | D | 131 | 131 | 131 |
| Projection of door when opened at 177 (cm) | E | 36.2 | 39.7 | 46.9 |
| Overall width of door and frame for max clear opening (cm) | F | 233.9 | 234.6 | 245.2 |
| Overall width of door and frame for when fully opened (cm) | G | 253.1 | 253.1 | 253.1 |
| Approx. weight (kg) | | 1698 | 1930 | 2250 |

*Locking Mechanisms are also available in (a) Combination Lock (b) Electronic Lock (c) Biometric Lock (d) Time Lock

| DESCRIPTION | REFERENCE | EMERGENCY DOOR CLASS-A DEFENDER DOOR | EMERGENCY DOOR CLASS-AA DEFENDER DOOR | EMERGENCY DOOR CLASS-AAA DEFENDER DOOR |
|--|-----------|--------------------------------------|---------------------------------------|--|
| Overall size over door frame (cm) | H x W | 101.8 x 120 | 101.8 x 120 | 101.8 x 120 |
| Clear opening door open at 180 deg. (cm) | H x W | 61.8 x 77.8 | 61.8 x 77.8 | 61.8 x 75.9 |
| Projection of door when open at 180 deg. (cm) | E | 34.9 | 38.9 | 46.4 |
| Projection of door when open at 90 (cm) | D | 114.8 | 114.8 | 114.8 |
| Overall door thickness (cm) | T | 21 | 25 | 32.5 |
| Overall door thickness including frame and grill gate (cm) | OT | 48.5 | 48.5 | 56.5 |
| Recommended wall thickness (cm) | WT | 48 | 48 | 56 |
| Grille gate swing (cm) | C | 86 | 86 | 86 |
| Overall width of door and frame when door is opened at 180 deg. (cm) | G | 222.2 | 222.2 | 222.2 |
| Minimum overall width of door and frame to give maximum clear opening (cm) | F | 214 | 215.5 | 218.6 |

GODREJ MX

REVOLUTIONIZING BUSINESS SECURITY
WITH THE POWER OF PORTABILITY




"INTRODUCING A ONE-OF-A-KIND INNOVATION: GODREJ MX PORTABLE STRONG ROOM

With a legacy spanning over 125 years, Godrej Security Solutions, the visionary pioneers of security, proudly introduces the first-ever portable Godrej MX vault rooms in India. These vault rooms can be effortlessly set up or dismantled, ensuring quick and efficient transportation while maintaining the desired level of security. Our modular designs, crafted from high-quality steel plates, provide an additional layer of protection.

MX Portable Strong Rooms enhance the robustness of your business security system, facilitating the seamless inflow and outflow of valuables and cash. What sets Godrej MX apart is its adaptability; it can be retrofitted into your existing strong rooms, making it a versatile and seamless addition to your security infrastructure.

Experience the future of security with our BIS Certified Godrej MX Portable Strong Rooms Modular Panels. These not only meet the stringent norms of the Bureau of Indian Standards but also surpass them. Contact us today to discover more and learn how Godrej MX can elevate your business security to unprecedented levels.

ALL GSS STEEL COMPONENTS UNDERGO A 7-STEP, 12-TANK, PRE-TREATMENT PROCESS FOR SUPERIOR STRENGTH, SUPREME RESILIENCE, LONGER LIFE, AND UNMATCHED QUALITY.



WATER RINSE
The metal surface is cleansed of oils from the surface with Water Rinse.

WATER RINSE
The metal surface is cleansed of acids for further treatment with Water Rinse.

WATER RINSE
All powder particles and/or loose coating is washed off from the metal sheet using one tank.

1 DE-GREASING
The process of De-Greasing removes all types of oils, grease, dust and organic contaminations from the metal's surface.

3 DE-RUSTING
De-rusting is an effective process that combats corrosion. A combination of acids are used to remove rust layers.

5 PHOSPHATING
Offers enhanced corrosion protection and the steel surface is covered into a corrosion resistant non-metallic surface.

7 PASSIVATION
Prevents atmospheric moisture from coming in contact with the metal thus providing a corrosion reaction even on phosphate surface.



GIVE YOUR HIGH-VALUE ASSETS THE CONVENIENCE AND PROTECTION OF GODREJ MX:



Torch and Tool Resistance
Impervious to damage and danger by cutting implements making it tamper proof.



Modern Aesthetics
The sleek and stylishly ultra-modern design effortlessly integrates into contemporary settings.



Upgraded mixes for high end fortification
Crafted with precision and sophistication, blending aesthetics with heightened security.



Optimum Protection
Reinforced structure withstands burglary attempts, ensuring secure storage for high-value assets.



Ease of Assembly
Quickly set up or relocate the Modular Vault Room as needed, ideal for adaptable security solutions.



Scalable and Portable
Easily adjust the vault's size and move it to various locations for versatile security.



Relocation Capability
Easy movability to different locations, offers a cost-effective solution for expanding businesses.



Space Efficiency
Thin walls maximize internal space, enabling efficient organization of valuable assets without compromising on security.



Custom Design
Tailor the vault room to precise security needs, optimizing space usage for asset protection.



Godrej MX Certified Strength
IS 17541 | Bureau of Indian Standards (BIS)

INDIA



HIGH RESISTANCE TO TORCH AND TOOL ATTACK



MODULAR CONSTRUCTION MAKING EASY ASSEMBLY AT SITE




PANELS TO BE WELDED TO EACH OTHER AT SITE.



EASY DISMANTLING AND RE-ASSEMBLY IN CASE OF SHIFTING OF VAULT ROOM



STANDARD WIDTH OF PANEL- 500MM



For better understanding please consider a room size of 8ft x 15ft x 8ft

| DESCRIPTION | PANEL THK. | APPROX USABLE FLOOR AREA | APPROX PANEL SURFACE AREA | APPROX PANEL WEIGHT | DOOR WEIGHT |
|---|------------|--------------------------|---------------------------|---------------------|-------------|
| | CM | SQ. MTR | SQ. MTR | TONS | TONS |
| CLASS-C | 6 | 11 | 57 | 12.5 | 0.9 |
| CLASS-B | 7.5 | 11 | 58 | 15.0 | 1.0 |
| MODULAR ROOM EQUIVALENT TO 60 MINSTORCH & TOOL RESISTANCE | 10 | 11 | 61 | 20.5 | 1.6 |
| MODULAR ROOM EQUIVALENT TO 120 MINS TORCH & TOOL RESISTANCE | 15 | 11 | 64 | 30.0 | 1.8 |
| MODULAR ROOM EQUIVALENT TO 180 MINS TORCH & TOOL RESISTANCE | 24 | 11 | 71 | 48.5 | 2.2 |

*May change after actual site survey

RECORD ROOM DOORS

SPECIAL HAMMER AND DRILL RESISTANCE
PLATE PROTECTION



Business and business records are inseparable. Without proper record tracking, a bank or any other business may lose its roadmap to progress. Godrej understands this. We have developed robust Record Room Doors to assist organizations in safeguarding their records and paperwork.

These doors are fire-resistant, guaranteeing the safety of records in case of mishaps. They are also designed to provide excellent security against burglary, ensuring peace of mind. Their multi-bend door frame is crafted from prime steel, and the door's critical elements are protected by special hammer and drill-resistant plates. Record Room Doors come equipped with a high-precision 8-lever dual-control lock are ideal for banks, private safe deposit vaults, and other financial organizations.

Features



Multi-bend Door Frame

The door frame, crafted from high-quality steel, is multi-bend and reinforced around its edges.



Secure Anchoring

Eight holdfasts are provided on the frame to ensure solid anchoring with the record room wall.



Door Construction

The door slab is constructed following the Strong Room door type, with crucial door elements protected by specialized hammer and drill-resistant plates.



Bolting

Bolting is achieved through four shooting bolts at the front end, along with an additional four solid bolts welded to the lock case on the hinged side.



Fire Resistance

The door is lined with Godrej's unique non-conductive fire-resistant compound for insulation against intense heat.



Grille Gate

A well-designed grille gate is secured with a Godrej high-precision 8-lever Dual Control lock operable from both sides.



Paint Finish

High-quality nitro-cellulose paint in a charcoal brown color with a stipple finish is applied.



Anti-Rust Treatment

Superior anti-rust pre-treatment ensures durability and paint retention.



Optional Features

Optionally, a record room door with a left-hand opening can be provided. The grille gate can also be provided with an alternative opening.

Usage

These doors are suitable for use in various settings, including banks, private safe deposit vaults, financial institutions, offices, factories, warehouses, hotels, hospitals, jewelers, exporters, and petrochemical industries.

Locking system

- The bolt work is secured by two high-precision dual-control Godrej locks.
- Optionally, a Godrej 3-wheel or 4-wheel combination lock can be included.
- An automatic dead-locking device prevents forced displacement of the lock, such as by a crowbar or sledgehammer.
- Optionally, a time lock arrangement can also be provided.

Technical Specifications

| | |
|----------------------------------|------------------|
| Suitable for wall | 23.0-30.5 cm |
| Overall size - front frame (HxW) | 206.5 × 102.0 cm |
| Overall size - rear frame (HxW) | 198.5 × 94 cm |
| Clear opening | 188.2 × 77.3 cm |
| Thickness of door with lock case | 12.8 cm |
| Thickness of door slab | 1 cm |
| Thickness of lock & viital | 6.2 cm |
| Net weight with grille gate | 530 kgs |

*All dimensions are in cm and Tolerance - dimensions ± 5%





DEFENDER AURUM NX DOOR

BANK'S MOST ENHANCED BARRIER



Godrej Defender Aurum Nx Door is specifically designed to fit into a typical jewellery shop and offers Torch and Tool Resistance thus securing your precious valuables from burglary attacks. In today's Indian Jewellery market and an ever-growing Indian economy, there is an increase in value of assets, hence an imminent need to secure these assets even more. Also, with technological advances, there has been an advancement in the sophistication level of the burglaries too. A jeweller's dream and burglars' nightmare, Godrej Defender Aurum Nx Door comes with double duty barrier that provides reliable protection against burglary and fire.

Features

- 
Strong And Seamless Body
 Features a fully welded multi-corner bend construction. Designed without the use of a single rivet. Utilizes a one-piece wrap-around door construction.
- 
Two Step Door and Frame Construction
 Provides higher resistance against fire and burglary.
- 
Torch And Drill Resistant Matrix
 Incorporates an enhanced torch and drill-resistant matrix. Specifically used in TRTL classes of safes (class II and above).
- 
Double Duty Barrier
 Equipped with Double Duty Barrier (DDB) material in both the door and the body.

Technical Specifications - Class I

| SPECIFICATION | NOMENCLATURE | DIMENSION |
|--|--------------|--------------|
| Overall Size (cm) | H*W | 165.6 * 89.4 |
| Clear Opening (cm) | H*W | 148.1 x 58.4 |
| Thickness of door with lock case (cm) | T | 16.2 |
| Thickness of over lock & vital parts (cm) | | 10 |
| Overall door thickness (cm) | OT | 24.5 |
| Recommended for wall thickness (cm) | WT | 30.5-38 |
| Door swing (cm) | B | 72.5 |
| Projection of door when opened at 90 (cm) | D | 76 |
| Projection of door when opened at 180 (cm) | E | 26.5 |
| Overall width of door and frame for max clear opening (cm) | F | 130 |
| Overall width of door and frame for when fully opened (cm) | G | 155.5 |
| Approx. weight (kg) | | 490 |

*All dimensions are in cm and Tolerance - dimensions \pm 5%

SINGLE SHUTTER GRILLE GATES

LOCKING OUT DANGER



In spite of cameras and security guards, there's no guarantee regarding the kind of people entering a bank. One can never distinguish a gun-carrying hoodlum from an ordinary customer. Grille Gates provide an additional layer of security for bank vault rooms. They help secure these vault rooms while also offering discretionary access. The gate can be locked from both sides, allowing customers and personnel inside to lock the door instantly in case of a security breach. The Grille Gate has been designed for use in banks and other financial organizations.

Features



Has a dual control high precision 8-lever lock




Can be operated from both sides giving operational ease



Enhanced operator's security

| OVERALL SIZE (FRONT) | OVERALL SIZE (FRONT) | GROSS WT (kgs) |
|------------------------|------------------------|----------------|
| HXW = 211 cm x105.5 cm | HXW = 198 cm x 92.5 cm | 200 |



FORTIFI-SOLUTION

UPGRADED LOCKING MECHANISM TO FORTIFY YOUR PROTECTION



Features



Compact and easy to handle fortification process



Use of fortified protective slabs and a fascia with handle



Three protective slabs at the top, bottom and centre, weighing 125 kg each



Final slab consisting of a 5 mm thick Black Plate with TRTL 30 rating



Minimum installation time using skilled manpower from Godrej



Fortification process and final furnishing is completed within 3 days


To stay at the forefront of banking, lead with future security. Godrej presents Fortifi strengthening solutions, which enhance strong room doors by reinforcing each part and upgrading the locking mechanism to meet current resistance standards.

Fortifi can be customized to your preferred size, in accordance with recommendations from BIS, RBI, and IBA. This solution includes the upgrade and reinforcement of strong room doors using fortified protective slabs, providing the doors with the strength to withstand attacks. In some banks, strong room doors are often outdated and ill-equipped to resist modern-day burglary attempts. As technology advances, break-ins have become more sophisticated, and no longer rely on crude, amateur methods.

GODREJ AIR EXHAUST FAN

FRESH LOOK AT SECURITY

Godrej Air Exhaust Fans circulate fresh air to ensure better ventilation. The dynamically balanced blades on the bearings ensure a prolonged lifespan, while the polyurethane coating resists corrosion. A braced and varnished vacuum-impregnated stator winding is used to make them non-hygroscopic. It is recommended to change the air in the vault room as frequently as possible, with 6-8 air changes per hour being recommended.



Specifications

| CAGE FOR EXHAUST FAN | PACKAGING DIMENSIONS (cm) | | |
|----------------------|---------------------------|-------|-------|
| | HEIGHT | WIDTH | DEPTH |
| | 41 | 41 | 35 |

Performance Data of Exhaust Fan

| FAN DIAMETER (cm) | SPEED (RPM) | POWER (Watts) | PHASE | CURRENT (AMP) | MAX. FREE AIR | |
|-------------------|-------------|---------------|--------|---------------|------------------------|-------------|
| 30.5 | 4100 | 85 | SINGLE | 0.36 | 2000 M ³ /H | 1178 FT/MIN |

GODREJ AIR VENTILATOR

LET YOUR VAULT ROOM BREATHE




The Godrej Air Ventilator ensures air passage and proper ventilation in the vault room by expelling air from the fan through a box-shaped steel channel. The air ventilator can be adjusted within a range of 30 cm to 46 cm for a secure fit on the wall. It is equipped with 1 cm thick MS front and rear plates reinforced with a 5 cm thick oxyacetylene flame-resistant plate. Its welded structure protects it against burglary, while a pair of baffle plates ensures that no flames can enter the vault room directly in the event of a fire breakout. The Godrej Air Ventilator also features perforations to ensure proper airflow. Adequate air passage and ventilation are essential requirements for a vault room, with at least 6 air changes per hour recommended.

Specifications

| UNIVERSAL AIR VENTILATOR | WEIGHT (KGS) | | PACKAGING DIMENSIONS (cm) | | | COLOUR |
|--------------------------|--------------|-------|---------------------------|-------|-------|---------|
| | NET | GROSS | HEIGHT | WIDTH | DEPTH | |
| | 70 | 85 | 48.5 | 48.5 | 42.5 | TA GREY |

All dimensions are in cm and Tolerance - dimensions + 5%

GODREJ V CAGE PROTECTING FRESHNESS



Exhaust fans are susceptible to accidents due to their high fan speed. Any mishap in a high-security zone, such as a vault room, is inevitably associated with potential security risks that a bank cannot afford to take. The Godrej V-Cage is a protective cage that encloses the exhaust fan, reducing the risk of accidents. It has wire mesh on one end to prevent direct air access to the fan, thus preventing unwanted materials from entering and jamming it. The V-Cage also shields the fan from humidity, fire, and dust.

Specifications

| V- CAGE | WEIGHT (KGS) | | PACKAGING DIMENSIONS (CM) | | COLOUR |
|---------|--------------|-------|---------------------------|-------|---------|
| | NET | GROSS | DIAMETER | DEPTH | |
| | 11 | 13 | 1.3 | 1.3 | TA GREY |

Recommended Guidelines for ventilation requirements

| SITUATION | VOLUME (A) | AIR CHANGES /HR. (B) | AIR MOVEMENT (AXB) | EXHAUST FAN REQD. |
|-------------|------------------------------|----------------------|-------------------------|----------------------|
| OFFICE | 20Mx10Mx3M=600M ³ | 10 | 6000 M ³ /HR | 3NOS. 327 MM/ 1400PM |
| STRONG ROOM | 5Mx5Mx3M=75M ³ | 8 | 600 M ³ /HR | 3NOS. 327 MM/ 1400PM |

All dimensions are in cm and Tolerance - dimensions ± 5%

PILFER PROOF
**SAFE DEPOSIT
LOCKERS**



Superior security, seamless access, and unwavering confidence, safeguarding your treasures with utmost confidentiality and trust.

**AUTOVAULT AUTOMATED
SAFE DEPOSIT LOCKERS**

NEXT GEN SECURITY FOR NEXT GEN BANKING



Worldwide mergers and boardroom handshakes build bank equity. Godrej, in association with ITOKI Corporation, JAPAN, is all set to make its mark with cutting-edge technology and completely revolutionize your customer locker usage experience. Introducing Autovault - Automated Safe Deposit Lockers, equipped with next-generation technology that allows customers to access their belongings anytime, hassle-free. Autovault represents the pinnacle of locker technology, bringing convenience to a level that was previously only imaginable.

Features



10 Locker sizes available



Flexibility in layout to maintain customer privacy and security



Modular design



An option for incorporating a maximum of 4 operation booths for one system



Compatible with different types of safe deposit boxes



Option of changing the safe deposit locker box size after installation for maximizing occupancy

BENEFITS TO BANKERS

- Does not need a custodian to operate the lockers
- No manual Intervention required
- A premium service that will lead to higher revenues on account of higher rent. Highly compact in terms of locker to space ratio
- 10 different locker sizes to target diverse customer requirements
- Highly customizable lockers where non-moving lockers can be replaced with in-demand lockers even after installation

BENEFITS TO CUSTOMERS

- Round-the-clock access and quick retrieval times
- Access in pleasant air-conditioned booths to enhance convenience and privacy
- Customers can access their lockers simultaneously by provisioning for upto 4 separate booths thus cutting waiting time
- The locker comes to the customer in the booth without the inconvenience of accessing the top and bottom row lockers
- Robotic technology provides high accuracy and reliability



HOW AUTOVAULT WORKS

1



1st Layer of Security

A unique access card enables entry into the locker booth

2



2nd Layer of Security

Insert the card in the card slot

3



3rd Layer of Security

key in your 4 digit secret pin code on the LCD panel

4



4th Layer of Security

Use your unique finger identification to access the locker

5



5th Layer of Security

Use your unique key to the locker

SECUNEX









NEXT GEN SAFE DEPOSIT LOCKERS

INNOVATION ENRICHING CONVENIENCE



Available in 2 visually appealing colours
• Champaign Gold • Steling Silver

Features

-  High quality steel structure for unmatched strength
-  A padlocking hasp can be fitted on locker doors for additional security
-  High quality steel structure for unmatched strength 10 mm thick solid steel door for enhanced protection
-  Available with independent lockers of 10 different sizes
-  High precision, unpickable, dual-control 7-lever lock
-  Also available with Godrej Ultra Lock-based on multi-row pin cylinder technology
-  High precision, unpickable, dual-control 7-lever lock Built-in 6-lever lock as renter's personal lock
-  Available in 2 different fascia options: Sterling Silver, Anodized Gold

Exclusive features of Secunex Safe Deposit Locker



INTELLILIGHT
An advanced LED light, which gets activated on detecting motion, the magnetic back of the light enables the user to place it anywhere inside the locker to gain better visibility into deep recesses



SECUNEX KEYCHAIN
A distinctive keychain for quick access and easy visibility



MEMORY LOG WITH PEN
Complimentary with every SECUNEX locker, this diary lets your customer maintain an inventory of the valuables stored



SECUPRO
An airtight and watertight locker accessory, designed to combat humidity, dampness, termites and silverfish is ideal to store documents and valuables in any locker

Valuables are closest to the hearts of your customers. Give them the security they deserve. Godrej SECUNEX Safe Deposit Lockers are the most thoughtful lockers available. They are equipped with unique features and complementary innovative accessories that ensure maximum convenience for you. The small touches added at every step provide that extra sense of comfort, enriching your locker usage experience.

| INTERNAL DIMENSIONS IN CM | TYPES OF INDIVIDUAL LOCKERS IN GODREJ SAFE DEPOSIT LOCKER CABINETS | | | | | | | | | | | |
|---------------------------|--|------|------|------|------|------|------|------|------|------|------|--|
| | A | B | 2A | D | 2B | 4A | 2D | 4B | 2B1 | 4D | 4D1 | |
| | A | B | C | D | E | F | G | H | H1 | L | L2 | |
| HEIGHT | 12.5 | 15.9 | 12.5 | 18.9 | 15.9 | 27.8 | 18.9 | 32.1 | 32.1 | 40.4 | 38.5 | |
| WIDTH | 17.5 | 21.0 | 35.2 | 26.3 | 42.4 | 35.2 | 53.0 | 42.4 | 21.0 | 53.0 | 53.0 | |
| DEPTH | 49.2 | 49.2 | 49.2 | 49.2 | 49.2 | 49.2 | 49.2 | 49.2 | 49.2 | 49.2 | 49.2 | |
| TYPE OF S.D.L. CABINET | QUANTITY OF S. D. L. CABINETS | | | | | | | | | | | |
| 1 | 66 | | 6 | | 3 | | | | | | | |
| 1A | 90 | | | | | | | | | | | |
| 2A | | 46 | | | 2 | | | 2 | 1 | | | |
| 2B | | 60 | | | | | | | | | | |
| 3 | | | | 28 | | | 2 | | | 2 | | |
| 1C/45 | | | 45 | | | | | | | | | |
| 1F/21 | | | | | | | | | | | | |
| 3D/40 | | | | 40 | | | | | | | | |
| 3G/20 | | | | | | | 20 | | | | | |
| L2/10 | | | | | | | | | | | 10 | |
| 1A/UB/1B | 18 | | | | | | | | | | | |
| 1A/UB/24 | 24 | | | | | | | | | | | |
| 1A/UB/30 | 30 | | | | | | | | | | | |
| H/SP/12 | | | | | | | | 12 | | | | |
| E/SP/24 | | | | | 24 | | | | | | | |
| H1/SP/30 | | | | | | | | | 30 | | | |

| TOTAL QTY. OF S. D. LOCKERS (PER UNIT) | OVERALL DIMENSIONS OF S. D. L. CABINET IN CM. HXWXD (APPROX.) | NET WEIGHT IN KGS. (APPROX.) |
|--|---|------------------------------|
| 75 | 200 x 107.5 x 57.5 | 695 |
| 90 | 200 x 107.5 x 57.5 | 715 |
| 51 | 200 x 107.5 x 57.5 | 605 |
| 60 | 200 x 107.5 x 57.5 | 655 |
| 32 | 200 x 107.5 x 57.5 | 535 |
| 45 | 200 x 107.5 x 57.5 | 655 |
| 21 | 200 x 107.5 x 57.5 | 525 |
| 40 | 200 x 107.5 x 57.5 | 560 |
| 20 | 200 x 107.5 x 57.5 | 520 |
| 10 | 200 x 107.5 x 57.5 | 475 |
| 18 | 40 x 107.5 x 57.5 | 135 |
| 24 | 200 x 86.5 x 57.5 | 180 |
| 30 | 200 x 86.5 x 57.5 | 225 |
| 12 | 200 x 107.5 x 57.5 | 408 |
| 24 | 200 x 86.5 x 57.5 | 460 |
| 30 | 200 x 107.5 x 57.5 | 52 |

All dimensions are in cm and Tolerance - dimensions ± 5%



Inspection Table




Step Ladder



Low Settee



Renter's Personal Lock



SECUNEX
Safe Deposit Lockers



Masterminded by
Godrej Secure Vault Manager

SAFE DEPOSIT LOCKER CABINETS

STRINGENT SPECIFICATIONS FOR SUPERIOR STRENGTH



Uncompromising banking deserves uncompromising security. Godrej Safe Deposit Locker Cabinets are designed to the most stringent specifications, quality standards and rigidly controlled manufacturing processes. Resulting in cabinets that are superior in all aspects – security, reliability, strength and aesthetics. Godrej SDLC's are available in 10 different locker types and there are over 1600 configurations.

Features



High quality steel structure for unmatched strength



High quality enamel paint coating, oven-baked under controlled conditions for scratch resistant finish



Built-in 6-lever lock as renter's personal lock



Available with independent lockers of 10 different sizes



Locks protected by a solid steel door, with no part protruding out



Also available with Godrej Ultra Lock-based on multi-row pin cylinder technology




State-of-the-art twelve-tank anti-corrosion treatment for all steel components

Technical Specifications

| LOCKER TYPE | HEIGHT (cm) | WIDTH (cm) | DEPTH (cm) |
|-------------|-------------|------------|------------|
| A | 12.5 | 17.5 | 49.2 |
| B | 15.9 | 21 | 49.2 |
| C | 12.5 | 35.2 | 49.2 |
| D | 18.9 | 26.3 | 49.2 |
| E | 15.9 | 42.3 | 49.2 |
| F | 27.8 | 35.2 | 49.2 |
| G | 18.9 | 52.9 | 49.2 |
| H | 32.1 | 42.3 | 49.2 |
| H1 | 32.1 | 21 | 49.2 |
| L | 40.4 | 52.9 | 49.2 |
| L2 | 38.5 | 52.9 | 49.2 |

GODREJ STEEL SLEEPERS

MOISTURE DAMAGE CONTROL



In regions of high humidity or in places where seepage and moisture are inevitable, it is essential to take that extra step to keep your customers' valuables and documents safe and free from moisture. Godrej Steel Sleepers prevent moisture present in walls and floors from damaging the locker cabinets and are also helpful in the event of flooding, leakage, or waterlogging, preventing water from reaching and damaging the contents of the locker.

Specifications

| MODEL | HEIGHT (cm) | WIDTH (cm) | DEPTH (cm) | WEIGHT |
|------------------------|-------------|------------|------------|--------------|
| STEEL SLEEPERS FOR SDL | 57.5 | 10 | 6.3 | 6.5 kgs/PAIR |

All dimensions are in cm and Tolerance - dimensions $\pm 5\%$

TESTED BY FIRE TO RESIST FIRE

FIRE RESISTING
PRODUCTS



Uncompromising safety, precision engineering,
and unmatched reliability, shielding your valuables
from fire's grasp with absolute assurance
and ability to withstand fire for 1 hour






FIRE RESISTING FILING CABINETS

PROTECTS VITAL DOCUMENTS FROM FIRE FOR UP TO 2 HOURS



Your bank's past and future are recorded in your paperwork. Secure it with the Fire Resistant Filing Cabinet (FRFC), which protects vital documents for up to two hours during a fire incident. Built with a unique proprietary fire-resistant compound, it provides protection against flames and hot gases. Salient features of the filing cabinet include effortless movement of drawers and secure, ingenious locking. Offering formidable resistance to heat, the Fire Resistant Filing Cabinet is ideal for all types of businesses that rely on extensive paperwork.

Features


-  Can resist fire for 1 hour or 2 hours depending on the model
-  Unequaled resistance to heat from fires and hot gases
-  Unique fire resistant compound can resist more than 1000°C temperature
-  Safe and ingenious locking mechanism with an emergency latch
-  Drawer isolation catch for independent use and locking
-  Press-button release handle with built-in index panel on each drawer
-  Certifications: Holds license for 1hr and 2hr of Fire Endurance and Fire & Impact as per BIS IS 14561:2014



Special Features

-  **Snap-shut Mechanism**
Minimizes the time taken to lock a safe during crisis situations
-  **Tongue and Groove Construction**
Prevents the passage of hot gases in to the storage compartment
-  **Inert In-fill Material**
Retains fire-resisting properties for a prolonged period
-  **Locking Options**
Lever Key locks, Dual Control Gordian lock, 3-wheel Combination locks, Electronic Number locks and Biometric locks
-  **In-fill Material Structure**
Shields the cabinet from falling debris
-  **Unique Locking Solution**
Provides a mechanism to lock select cabinets whilst freely accessing others



2 DRAWER FIRE RESISTANT FILING CABINETS



| | | |
|---|---|---|
|  |  |  |
| 4 WHEEL COMBINATION LOCK (LAGARD MAKE) | ELECTRONIC LOCK (LAGARD BASIC) | BIOMETRIC LOCK (S & G MAKE) |
| OPTIONAL LOCK DETAILS | | |

| CABINET | 1 HR FRFC HXWXD (CM) | Weight (in KG) | 2HR FRFC FRFC HXWXD (CM) | Weight (in KG) |
|----------|----------------------|----------------|--------------------------|----------------|
| 4 DRAWER | 155.1 x 54.3 x 80.5 | 440 | 155.9 x 55.1 x 83.5 | 480 |
| 2 DRAWER | 78.7 x 54.3 x 80.5 | 220 | 79.5 x 55.1 x 83.5 | 250 |

All dimensions are in cm and Tolerance - dimensions \pm 5%



FIRE RESISTANT RECORD CABINETS

MADE TO WITHSTAND FIRE AND SHIELD VALUABLES
WITH UNCOMPROMISING SAFETY.



The story of banking is how well does it manage its storage systems. Godrej Security Solutions' Fire Resistant Record Cabinet makes storage of important documents a lot safer. Built specifically to safeguard against fire hazards, this cabinet provides utmost protection. As fire can destroy paperwork in a just a couple of minutes, storing your mission-critical documents in this cabinet is crucial to business continuity. The cabinet is spacious to store the bulkiest of ledgers and reports and is ideal for all kinds of businesses.





Features

- In-situ insulation for reliable fire-resistance
- Strong bolt-work mechanism
- Attractive finish for an elegant look
- Cost-effective storage capacity
- Certifications: Holds license for Fire Endurance and Fire & Impact as per BIS IS 14203:2017 Special Features
- Secure locking with 6 lever Godrej lock

Special Features

- Tongue and Groove Construction**
Prevents the passage of hot gases into the storage compartment and withstands temperature up to 1010°C
- In-fill Material Structure**
Shields cabinet from falling debris
- Locking Options**
Lever Key lock, Dual Control Gordian lock, 3-Wheel Combination lock, Electronic Number lock and Biometric lock
- Inert In-fill Material**
Retains fire-resisting properties for a prolonged period



| PRODUCT | RATING | INTERNAL DIMENSIONS H X W X D (in cm) | EXTERNAL DIMENSIONS H X W X D (in cm) | NET WEIGHT (in kgs/lbs) |
|---------|--------|--|--|----------------------------|
| FRRC | 1 Hr | 160 x 67 x 59.5 | 183.6 x 83.6 x 78.5 | 700 1632 |
| FRRC | 2 Hr | 162 x 67 x 58.5 | 187.5 x 85 x 78.5 | 800 1742 |

All weights and sizes are approximate. Tolerance - Weight + 10%, - 5%

GODREJ KOMPACTRON OCCUPIES 30% LESS SPACE SO YOUR OFFICE GETS THAT 30% MORE SPACE



SEE HOW AN ADVANCED FIRE CABINET CAN OPTIMISE YOUR OFFICE SPACE

More operational ease on Godrej Swift Drive Platform

The Godrej Kompactron enables speedy access and effortless maneuverability when mounted on the Godrej Swift Drive Platform - a complimentary glide-rail assembly with a Step-Down mechanism for effortless handling and a Chain Tensioner for a longer lifespan. The durable hi-tracks are precision-engineered to help offices become more efficient and adaptive.

More compact than any fire cabinet

The Godrej Kompactron boasts an ultra-compact design that occupies 30% less space than regular fire cabinets. For example, the space occupied by 16 regular fire cabinets can house 20 Godrej Kompactrons with the same usable volume.

More space and more value for your office

Each Godrej Kompactron frees up to 30% of a regular fire cabinet's volume in the room. This results in a significant advantage for offices where space is limited and at a premium.



More Storage Than Regular Fire Cabinets

Godrej Kompactron's unique architecture enables more efficient space utilization, resulting in increased storage capacity and, consequently, enhanced protection.

More Protection Against Fire, Hot Air, and Gases

Godrej Kompactron features innovative construction with lockable double doors and unique cellular insulation, all of which provide superior protection against fire, hot air, and gases for up to 120 minutes.

More Flexibility and Ease of Operation

Godrej Kompactron offers easy-to-operate, easy-to-manuever flexibility, making offices more efficient, versatile, and adaptable for quick decision-making. Switch to Godrej Kompactron and discover how much more your office can gain.



Optimised Storage with Enhanced Security



ULTRA COMPACT WITH SUPERIOR FIRE PROTECTION AND MORE...

Features

- Independently tested and rated for 1 hour / 2 hours fire endurance, fire impact and fire explosion test
- Sturdy double-walled body is reinforced at vital points, and a door featuring multibend construction is fabricated from prime quality steel
- It is mounted on a Godrej Swift Drive Platform which enables speedy access and effortless maneuverability
- Prevents passage of hot gases into the storage compartment and withstands temperatures of up to 1010°C
- Holds license for Fire Endurance and Fire & Impact as per BIS IS 14203:2017



- Godrej high-precision 6-lever lock has dual-control feature (optional: 3-wheel combination lock)
- Unique cellular-structured fire-resistant compound, coated between outer and inner body, gives 120 minutes of fire resistance
- Firm-grip handle enables effortless rotation to move multiple cabinets with ease


| 1 HOUR | HEIGHT (H) | WIDTH (W) | DEPTH (H) | NET WEIGHT (KGS) | GROSS WEIGHT (KGS) |
|--------------|------------|-----------|-----------|------------------|--------------------|
| OUTSIDE (cm) | 183.6 | 83.6 | 78.5 | 700 | 725 |
| INSIDE (cm) | 160 | 67 | 59.9 | | |

All dimensions are in cm and Tolerance - dimensions + 5%
*Also available for Dateline MCabinet option


Special Features

- More compact than any fire cabinet
- More protection against fire, hot air & gases

Comparison between standard fire resistant cabinets and Godrej Kompactron



*Indicative savings depending on actual room size.










FR1360

TESTED BY FIRE TO RESIST FIRE



Designed to withstand the fiercest blazes, FR1360 safes offer unparalleled protection for your vital papers. Certified and tested by ECB's, their dual key lock, tongue and groove construction, and snap shut mechanism ensure resilience. The powder-coated finish adds durability, while a lockable drawer enhances security. Trust FR1360 to guard your documents with unwavering strength.

Features

-  Fire- resistant
-  Certified and tested at RISE, Sweden/ ECB-s
-  2- Key Lock
-  Tongue and Groove construction to prevent hot gases/smoke from seeping in
-  Snap- Shut mechanism facilitate to close the door
-  Powder coated finish
-  Lockable drawer

Technical Specifications

| MODEL No. | DIMENSION (in cm) | | VOLUME (ltrs.) |
|-----------|------------------------|----------------------|----------------|
| | EXTERNAL | INTERNAL | |
| | H X W X D | H X W X D | |
| FR 1360 | 155.4 X 68 X 58.7 (cm) | 136 X 55 X 35.5 (cm) | 265 |

All weights and sizes are approximate. Tolerance - Weight + 10%, - 5%
Dimensions ± 10%

Important Information:

FR 1360 is currently available with listing from ECB-S, as per NT Fire 017 standards for 90P

DATALINE-DATA SAFES

AVOID DATA CRISIS



A well- documented bank is an efficient bank. We live in an era, where a majority part of our valuable documents are preserved in hard drives, floppies, magnetic tapes etc. All these important documents can be used for wrong purposes, hence it is essential to Safeguard it from burglars as well as from detrimental environment conditions.

Godrej Security Solutions presents Dataline Safes, a specially designed range of media safes which offer great protection of your data against pilferage, unauthorised access, humidity, fire, dust, magnetic fields, electrostatics and more.




Features

- In-situ insulation for reliable fire resistance
- Strong bolt-work mechanism

- Tongue and Groove Construction**
Prevents the passage of hot gases in to the storage compartment and withstands temperature up to 1010°C
- Endures temperature upto 1000°C maintaining internal temperature within 52°C

Special Features

- Attractive finish for an elegant look
- Inert In-fill Material**
Retains fire-resisting properties for a prolonged period
- In-fill material structure shields the cabinet from floor collapse
- Locking Options**
Lever Key lock, Dual Control Gordian lock, 3-Wheel Combination lock, Electronic Number lock and Biometric lock



| PRODUCT | EXTERNAL DIMENSIONS | | | INTERNAL DIMENSIONS H X W X D | WEIGHT (in kg/lbs) | VOLUME (in ltrs/cu ft) |
|------------|----------------------|---------------------------|--------------------------|----------------------------------|-----------------------|---------------------------|
| | H X W X D (in cm) | OW DOOR AT 180 (in cm) | OW DOOR AT 90 (in cm) | | | |
| 53 L | 69.8 x 55.5 x 66.1 | 86.4 | 82.5 | 40 x 30.5 x 43.5 | 155 341 | 53 2 |
| 90 L | 79.8 x 65.5 x 67.6 | 132.4 | 125.5 | 50 x 40.5 x 45 | 215 474 | 91 3 |
| DATALINE M | 183.6 x 83.6 x 78.5 | 170 | 154.5 | 149 x 56.2 x 43.6 | 700 2072 | 365 13 |

All dimensions are in cm and Tolerance - dimensions ± 5%

DATALINE-MEDIA CABINETS

OPTIMUM DATA PROTECTION




Features

Capacity
372 litres of economically used space

Structure
Cabinet-within-a-Cabinet type of construction


Internal Shell
A layer of polyurethane material and specially crafted fire-resistant compound

External Shell
Double walled, multi-bend and with fire-resistant compounds



Data is the core of banking. Don't ever lose them. Godrej Security Solutions has created the Dataline M Cabinet for the utmost safety of day to day data stored in hard drives, magnetic tapes and other types of hardware. Protecting them not only from theft, but also detrimental environmental conditions. Specifically designed to protect all types of media, this cabinet offers optimum protection of data against pilferage, unauthorized access, humidity, fire, dust, magnetic fields, electrostatics, and more.

VALUABLE DETECTION
EQUIPMENTS



Unparalleled precision and advanced technology,
that calibrates purity with matchless perfection.



ACCUGOLD GOLD TESTING MACHINE



Take your vision for banking beyond. Energy-dispersive X-ray fluorescence (ED-XRF) is a non-destructive analytical method for qualitative as well as quantitative determination of elements in a sample independent of their chemical form. In the ED-XRF technique, all of the elements in the sample are excited simultaneously.

An energy dispersive detector in combination with a multi-channel analyser is used to simultaneously collect the fluorescence radiation emitted from the sample. These different energies represent characteristic radiation from each of the different element contained in the sample. X-ray energies are measured as a step in voltage ramp of pulse processor. This is analysed through software to give accurate results. The X-ray detectors are used from a reputed manufacturer which provides most accurate results in precious metal detection.

Features



Method

- Energy Dispersive X-Ray Fluorescence
- Non-Destructive Testing (EDXRF)



Metals Detected

- X-ray detectors for accurate precious metal detection



Detection Time

- 50 seconds




Detector Technology

- Gas filled proportional counter







ACCUGOLD-GOLD TESTING MACHINE

ENERGY-DISPERSIVE X-RAY FLUORESCENCE (EDXRF) TECHNOLOGY



Energy-dispersive X-ray fluorescence (EDXRF) is a non-destructive analytical method for qualitative as well as quantitative determination of elements in a sample independent of their chemical form. In EDXRF technique, all of the elements in the sample are excited simultaneously. An energy dispersive detector in combination with a multi-channel analyzer is used to simultaneously collect the fluorescence radiation emitted from the sample.

These different energies represent characteristic radiation from each of the different element contained in the sample. X-ray energies are measured as a step in voltage ramp of pulse processor. This is analysed through software to give accurate results. The X-ray detectors are used from a reputed manufacturer which provides most accurate results in precious metal detection.

| | | | |
|---|--|---|--|
|  <p>Method Energy Dispersive X-ray Fluorescence (EDXRF) Non Destructive Testing</p> |  <p>Analysis Range 1 ppm to 99.99%</p> |  <p>Measurement Area 2 mm</p> |  <p>Working Temperature & Relative Humidity 20 - 23° Celsius & 15% - 90%</p> |
|---|--|---|--|



ACCUGOLD®770

Technical Specifications

| | | | |
|------------------------------|---------------------------|---------------------------|---------------------|
| Detector Type | Proportional Counter Tube | Input Power | 230 V / 5A |
| Measurement Range | 8 Elements | Power Consumption | 1000 W |
| Measurement Time | 50 Seconds | Relative Humidity | 15% - 90% |
| Measurement Precision | 99.50% (± 0.5%) | Dimensions | 38 x 38 x 36.2 (cm) |
| Image of Sample | HD Camera | Weight | 38 Kg |
| X-ray Tube Voltage | 5 KV - 50 KV | Throughput Per day | 240 Samples |

*Suited for Banks, Gold Loan Companies and Retail Jewelers



ACCUGOLD® 880

Technical Specifications

| | | | |
|------------------------------|-----------------|---------------------------|-------------------|
| Detector Type | Silicon-Pin | Input Power | 230V / 5A |
| Measurement Range | 24 Elements | Power Consumption | 1000 W |
| Measurement Time | 50 Seconds | Relative Humidity | 15% - 90% |
| Measurement Precision | 99.80% (± 0.2%) | Dimensions | 43 x 43 x 35 (cm) |
| Image of Sample | HD Camera | Weight | 40 kg |
| X-ray Tube Voltage | 5 KV - 50 KV | Throughput Per day | 400 samples |

*Suited for Jewelry Manufacturers, Banks, Gold Loan Companies and Gold Testing Centers



ACCUGOLD® 990

Technical Specifications

| | | | |
|------------------------------|------------------------|---------------------------|-------------------|
| Detector Type | Silicon Drift Detector | Input Power | 230V / 5A |
| Measurement Range | 30 Elements | Power Consumption | 1000W |
| Measurement Time | 30 - 50 Seconds | Relative Humidity | 15% - 90% |
| Measurement Precision | 99.85% (± 0.15%) | Dimensions | 48 x 48 x 39 (cm) |
| Image of Sample | HD Camera | Weight | 45 kg |
| X-ray Tube Voltage | 5 KV - 50 KV | Throughput Per day | 450 Samples |

*Suited for Assaying & Hallmarking Centers and Jewelry Manufacturers

Godrej | SECURE
4.0



We safeguard: Residential | Industrial | Business | Corporates | Retail | Hospitals | Institutions | Monuments

Weight is Gross Weight, unless mentioned otherwise. | Call our help line or speak to our security advisor to know more. | Terms and Conditions apply subject to standard installation procedures. Manufacturing Tolerance - Weight +10%, -10%, Dimensions +/- 10% | MRP is inclusive of all taxes. For further information please contact our customer service team. Images are for illustrative purposes only. The actual product appearance may vary.



Godrej & Boyce Mfg. Co. Ltd. | Godrej Security Solutions
Registered Office: Plant No. 17, Pirojshanagar,
Vikhroli, Mumbai - 400079, India.



Toll Free No.:
1800 209 9955 (Sales/Service)



Visit: www.godrejsecure.com
ISO 9001:2015, ISO 14001:2015, ISO 45001:2018



secure@godrej.com (Sales)
secure@godrej.com (Service)



Follow us:
[godrejsecure](https://twitter.com/godrejsecure)



WhatsApp Support:
+91 9321665511 (Service)



www.linkedin.com/godrej-security-solutions



Follow us:
GodrejSecure